

刘浩男 Haonan Liu

Assistant Professor, Tokyo Institute of Technology
东京工业大学 助理教授



个人介绍 Personal Profile

刘浩男，现在主要从事聚酰亚胺的高压光学特性以及高频介电特性的研究。

Haonan Liu, Currently focusing on high-pressure optical properties and high-frequency dielectric properties of polyimides.

聚酰亚胺在毫米波频率（25-330 GHz）范围内的介电色散

Dielectric Dispersion of Polyimides in the Millimeter Wave Frequency (25-330 GHz) Range

Abstract: Polyimides (PIs) are essential in 5G/6G technologies, serving as a critical material for high-frequency applications because of their outstanding dielectric properties. In this study, the dielectric constants (D_k) and dissipation factors (D_f) of 11 types of PIs were systematically measured at mmWave frequencies (25-330 GHz) using Fabry-Pérot resonators. As the frequency increased, all the PIs exhibited a continuous decrease in D_k and a consistent increase in D_f . Notably, no distinct peaks were observed over the entire frequency range. The decrease in D_k with frequency gradually approached the square of the refractive index (n^2) in the near-infrared region. Additionally, based on the correlation between the dielectric dispersion and dielectric polarization (P_t), D_k showed a stronger correlation with the electronic polarization (P_e) at the higher frequencies than with the dipolar orientational polarization (P_d). Moreover, in fluorine-containing PIs, D_k declined faster with increasing frequency as the fluorine content (F%) increased. In particular, a perfluorinated PI (8) [1] showed the lowest D_k and D_f in the whole range. Meanwhile, the increase in D_f showed a negative correlation with the weight fraction of polar groups (polar%), and the PIs containing $-CF_3$ groups in the diamine moieties exhibited a similar rapid increase in D_f with frequency, suggesting characteristic absorptions in the terahertz domain.




Figure 1. Structures and dielectric properties of PIs in the 25-330 GHz range.

Keywords: polyimide, dielectric dispersion, polarization, millimeter wave

Reference: [1] S. Ando, T. Matsuura, and S. Sasaki, *Macromolecules* 1992, 25, 5858-5860.